

[544] SQL Databases (MySQL)

Tyler Caraza-Harter

Learning Objectives

- create database schemas with types and keys
- use database transactions to group multiple updates together
- write SQL queries with common clauses (SELECT, FROM, JOIN, WHERE, GROUP BY, HAVING, ORDER BY, and LIMIT) to answer questions about data

Outline

Creating/designing tables

- data modeling
- primary/foreign keys

Transactions

Queries

Demos

Data Modeling

Data modeling: deciding how to represent something in an underlying system.

Low-level example (protobufs): how will we represent numbers as bytes being sent over a network?

Traditional Databases: how will we represent things/people/events/etc as rows in tables?

option 1:

tbl_orders

name	book	amount	county	state
Tyler Harter	Designing Data-Intensive Applications	23	Dane	WI
Tyler Harter	Learning Spark	38	Dane	WI
Tyler Harter	Cassandra: The Definitive Guide	39	Dane	WI

Keys and Normalization

SQL keys:

- **primary key**: uniquely identify a row ("id" in tbl_counties)
- **foreign key**: reference a primary key ("county_id" in tbl_orders)

In database theory we would say option 2 is "more **normalized**" (note: there are well-defined normalization levels with formal rules -- we won't get into that in 544)

option 1:

tbl_orders

name	book	amount	county	state
Tyler Harter	Designing Data-Intensive Applications	23	Dane	WI
Tyler Harter	Learning Spark	38	Dane	WI
Tyler Harter	Cassandra: The Definitive Guide	39	Dane	WI

option 2:

tbl_orders				tbl_counties		
name	book	amount	county_id	id	county	state
Tyler Harter	Designing Data-Intensive Applications	23	1	1	Dane	WI
Tyler Harter	Learning Spark	38	1	2	Milwaukee	WI
Tyler Harter	Cassandra: The Definitive Guide	39	1	3	La Crosse	WI


Normalization Tradeoffs

Benefits of more normalization:

- avoid inconsistencies
- changes in the real world correspond to fewer changes in the DB
- often save space

Downsides of more normalization:

- queries are sometimes slower
- historical record keeping (for example, if you need to reproduce an invoice prior to somebody's name change, you might want the name at time of purchase)



Outline

Creating/designing tables

- data modeling
- primary/foreign keys

Transactions

Queries

Demos

Definitions of Transactions

Definition 1, regarding access patterns

- **analytics**: calculate over many/all rows, few columns (corresponding DB: OLAP)
- **transactions**: work with whole row or few rows at a time (corresponding DB: OLTP)

Definition 2, regarding guarantees for a collection of DB operations (often changes).

Common guarantees:


- **atomicity**: it all happens or nothing happens (partial progress is rolled back)
- **consistency**: application invariants (like no negative bank accounts) are supported
- **isolation**: others cannot see a transaction in progress (aka **atomicity** when talking about locks)
- **durability**: once finished, it persists (even if machine crashes+restarts)

Transactions in a DB are similar to critical sections in a multi-threaded process:

```
8  if bank_accounts[src] >= dollars:
9      bank_accounts[src] -= dollars
10     bank_accounts[dst] += dollars
```

critical section

(example from "locks" lecture)



"The Meaning of ACID"

Outline

Creating/designing tables

- data modeling
- primary/foreign keys

Transactions

Queries

Demos

SQL Query: General Structure

SELECT

FROM

JOIN (optional)

WHERE (optional)

GROUP BY (optional)

HAVING (optional)


ORDER BY (optional)

LIMIT (optional)

;

Query: a series of transformations

Tables



Outline

Creating/designing tables

- data modeling
- primary/foreign keys

Transactions

Queries

Demos

Banking Demos

