
[544] Hadoop Ecosystem

Tyler Caraza-Harter



Learning Objectives


- describe the purpose of GFS, MapReduce, and BigTable (at a high level), and similar Hadoop systems (HDFS, Spark, and Cassandra)
- describe partitioning and replication and the motivation for each technique
- identify the role that clients, NameNodes, and DataNodes play for HDFS reads and writes

Outline: Hadoop Ecosystem

Motivation, Hadoop Ecosystem


Hadoop File System (HDFS)

Design: storage systems are generally built as a composition of layered subsystems




Today: 3 layered systems in the Hadoop Ecosystem

What if your data is too big for your server?




What if your data is too big for your server? Option I: scale up (buy better hardware)



What if your data is too big for your server? Option 2: scale out (more machines)

where does the data actually go?



Approach: partition the tables

tbl users

user ID name
1 "Yiyin"
2 "Ivan"
3 "Poulami"

tbl_purchases

user ID amt
2 \$10
2 \$15
3 \$20

• • •



tbl users

user ID name
1 "Yiyin"
2 "Ivan"

tbl_purchases

user ID amt 3 \$20

• • •

tbl users


user ID name 3 "Poulami"

tbl_purchases

user ID amt
2 \$10
2 \$15

Approach: send queries to multiple DBs...

SELECT * FROM tbl_purchase WHERE amt > 12



tbl users

user ID name
1 "Yiyin"
2 "Ivan"

tbl_purchases

user ID amt 3 \$20

. . .

tbl users


user ID name 3 "Poulami"

tbl_purchases

...combine results

SELECT * FROM tbl_purchase WHERE amt > 12

tbl_purchases



tbl users

user ID name
1 "Yiyin"
2 "Ivan"

tbl_purchases

user ID amt 3 \$20

• • •

tbl users

user ID name 3 "Poulami"

tbl_purchases

What is a query that would break things?

SELECT ...

tbl users

user ID name
1 "Yiyin"
2 "Ivan"

tbl_purchases

user ID amt 3 \$20

• • •

tbl users

user ID name 3 "Poulami"

tbl_purchases

What is a query that would break things?

```
SELECT * FROM tbl_users
INNER JOIN tbl_purchases
ON tbl_users.user_id = tbl_purchases.user_id
```

```
tbl_users
```

user ID name
1 "Yiyin"
2 "Ivan"

tbl_purchases

user ID amt \$20

• • •

tbl users

user ID name 3 "Poulami"

tbl_purchases

Why use a traditional/relational DB if basic things like JOIN don't easily work right at scale?

example: Cassandra documentation


STEP 3: CREATE FILES

The Cassandra Query Language (CQL) is very similar to SQL but suited for the JOINless structure of Cassandra.

https://cassandra.apache.org/_/quickstart.html

What if a server dies?

happens all the time when you have 1000s of machines




Motivation for System Redesign

Features

- some classic features (like JOINS and transactions) may not be essential
- scaling to many machines is essential
- fault tolerance is essential

Google Architecture



radical idea: base everything on lots of cheap, commodity hardware

Hadoop Ecosystem

Yahoo, Facebook, Cloudera, and others developed opensource Hadoop ecosystem, mirroring Google's systems

	Google (paper only)	Hadoop, 1st gen (open source)	Modern Hadoop
Distributed File System	GFS	HDFS	
Distributed Analytics	MapReduce	Hadoop MapReduce	Spark
Distributed Database	BigTable	HBase	Cassandra

Ecosystem: Ambari, Avro, Cassandra, Chukwa, HBase, Hive, Mahout, Ozone, Pig, Spark, Submarine, Tez, ZooKeeper

https://hadoop.apache.org/


Outline: Hadoop Ecosystem

Motivation, Hadoop Ecosystem


Hadoop File System (HDFS)

HDFS: DataNodes store File Blocks


F1: "ABCD" F2: "EFGHIJKL"



HDFS: DataNodes store File Blocks



Partitioning Across DataNodes



Replication Across DataNodes

F1: "ABCD"

F2: "EFGHIJKL"


3x replication

2x relpication

DataNode Computers

```
"ABCD" (F1.1)
"EFGH" (F2.1)
```

```
"ABCD" (F1.1)
"EFGH" (F2.1)
"IJKL" (F2.2)
```



Replication Across DataNodes

F1: "ABCD"


3x replication

F2: "EFGHIJKL"


2x relpication

logical vs. physical blocks

DataNode Computers



```
"ABCD" (F1.1)
"EFGH" (F2.1)
"IJKL" (F2.2)
```



Replication Across DataNodes


F1: "ABCD" F2: "EFGHIJKL"


3x replication


2x relpication

if a DataNode dies, we still have all the data. Which file (FI or F2) is safer in general?

DataNode Computers








Physical HDFS Blocks Are Stored as Local Files

F2: "EFGHI"



block size is specified per HDFS file

this will cap the size of the local files

example: 64 MB block size, and 67 MB file. Block I will be stored in 64 MB file, and block 2 will be stored in a 3 MB file. The second block isn't wasting space just because it is much smaller that the block size.

Aside: Replication vs. Erasure Encoding

HDFS Strategies for handling node failure


Replication

- original strategy, used for new/hot data
- covered in CS 544

Erasure Encoding

- more space efficient, less I/O efficient
- recent HDFS feature used for cold data (NOT covered in CS 544)


https://hadoop.apache.org/docs/stable/hadoop-project-dist/hadoop-hdfs/HDFSErasureCoding.html




DataNode Computers

```
"ABCD" (F1.1)
"EFGH" (F2.1)
```

```
"ABCD" (F1.1)
"EFGH" (F2.1)
"IJKL" (F2.2)
```







DataNode Computers

```
"ABCD" (F1.1)
"EFGH" (F2.1)
```

```
"ABCD" (F1.1)
"EFGH" (F2.1)
"IJKL" (F2.2)
```







DataNode Computers

```
"ABCD" (F1.1)
"EFGH" (F2.1)
```

```
"ABCD" (F1.1)
"EFGH" (F2.1)
"IJKL" (F2.2)
```







DataNode Computers

```
"ABCD" (F1.1)
"EFGH" (F2.1)
```


"ABCD" (F1.1)
"EFGH" (F2.1)
"IJKL" (F2.2)

"IJKL" (F2.2)
"ABCD" (F1.1)





Pipelined Writes



How are reads/writes amplified at disk level?

if a client **writes** 4 MB to a 2x replicated file, how much data do we **write** to hard drives?

if a client **reads** 2 MB to a 3x replicated file, how much data do we **read** from hard drives?

NameNode

FI.I: nodes 1, 2, 3

F2.1: nodes 1, 2

F2.2: nodes 2, 3

F3.1: nodes 1, 2, 3

DataNode Computers

```
"ABCD" (F1.1)
"EFGH" (F2.1)
"XYZ" (F3.1)
```

```
"ABCD" (F1.1)

"EFGH" (F2.1)

"IJKL" (F2.2)

"XYZ" (F3.1)
```

```
"IJKL" (F2.2)

"ABCD" (F1.1)

"XYZ" (F3.1)
```

What are the tradeoffs of replication factor and block size?

NameNode

benefits of high replication?

benefits of low replication?

benefits of large block size?

benefits of small block size?

```
FI.1: nodes 1, 2, 3
```

F2.1: nodes 1, 2

F2.2: nodes 2, 3

F3.1: nodes 1, 2, 3

DataNode Computers

```
"ABCD" (F1.1)

"EFGH" (F2.1)

"XYZ" (F3.1)
```

```
"ABCD" (F1.1)

"EFGH" (F2.1)

"IJKL" (F2.2)

"XYZ" (F3.1)
```

How do we know when a DataNode fails?

Heartbeat Message

- DataNode to NameNode
- Every T seconds (e.g., 3)
- Thresholds for no messages stale (>M seconds) dead (>N seconds)
- When dead, blocks might be underreplicated and need new replicas

NameNode

FI.1: nodes 1, 2, 3

F2.1: nodes 1, 2

F2.2: nodes 2, 3

F3.1: nodes 1, 2, 3

stale (eventually dead)

DataNode Computers

```
"ABCD" (F1.1)

"EFGH" (F2.1)

"XYZ" (F3.1)
```


"ABCD" (F1.1)

"EFGH" (F2.1)

"IJKL" (F2.2)

"XYZ" (F3.1)

live



Summary: Some Key Ideas Applied to HDFS

To build complex systems...

compose layers of subsystems

To scale out...

partition your data

To handle faults...

replicate your data

To detect faults...

send heartbeats

To optimize I/O...

pipeline writes